

Cable Connection

4-Wire Shielded Micro Cables, M12

Black shielded cable assemblies that are lightweight and flexible



BSEC-6

6' (1.8m) cable with connector

BSEC-15

15' (4.6m) cable with connector

BSEC-25

25' (7.6m) cable with connector



BRSEC-6

6' (1.8m) cable / right angle conn.

BRSEC-15

15' (4.6m) cable / right angle conn.

BRSEC-25

25' (7.6m) cable / right angle conn.

M-12 Field Replaceable 4-wire Connectors (waterproof)



M12-4F

4-Wire, Female Receptacle

M12-4M

4-Wire, Male Plug

4-Wire Yellow Shielded Cables, M12



SEC-6

6' (1.8m) cable with connector

SEC-15

15' (4.6m) cable with connector

SEC-25

25' (7.6m) cable with connector



RSEC-6

6' (1.8m) cable / right angle conn.

RSEC-15

15' (4.6m) cable / right angle conn.

RSEC-25

25' (7.6m) cable / right angle conn.

4-Wire Extension Cable, M12



BX-10

10' (3.1m) Extension cable

BX-25

25' (7.6m) Extension cable

4-Wire, Unshielded, M12



SEC-2MU

6.5' (2.0m) Low-cost

SEC-5MU

16.4' (5.0m) Low-cost

Cable Connection

4-Wire Nano Cable, M8



GEC-6
6' (1.8m) cable with connector



GEC-15
15' (4.6m) cable with connector



GEC-25
25' (7.6m) cable with connector

RGEC-6
6' (1.8m) cable / right angle conn.

RGEC-15
15' (4.6m) cable / right angle conn.

GEX-9
9' (2.7m) extension cable

M-8 Field Replaceable 3 & 4-wire Connectors (Waterproof)



M8-4F
4-Wire, Female Receptacle

M8-4M
4-Wire, Male Plug

M8-3F
3-Wire, Male Plug

M8-3M
3-Wire, Male Plug

4-Wire, AC Only Mity•Eye Cable




CAC15
AC Mity•Eye
15' (4.6m) cable,
AC only


XPC Specialty Cables



TJC-2
"T" Junction Splitter Cable,
4-Pin Output



TJC-3
"T" Junction Splitter Cable,
5-Pin Output



DCS8-2M
8-wire (2m), M12
Non-metallic shell

Cable Connection

5-Wire Shielded Micro Cables, M12



GSEC-6

6' (1.8m) cable with connector

GSEC-15

15' (4.6m) cable with connector

GSEC-25

25' (7.6m) cable with connector



GRSEC-6

6' (1.8m) cable / right angle conn.

GRSEC-15

15' (4.6m) cable / right angle conn.

GRSEC-25

25' (7.6m) cable / right angle conn.



GPSEC-15

15' (4.6m) Non-metallic shell

Field Replaceable 5-wire Connectors (waterproof)



M12-5F

5-Wire, Female Receptacle

M12-5M

5-Wire, Male Plug

5-Wire Unshielded Cable, M12, low cost



GSEC-2MU

6.5' (2.0m) Low-cost

GSEC-5MU

16.4' (5.0m) Low-cost

5-Wire Extension Cable, M12



GX-25

25' (7.6m) Extension cable